



M-8600-SD73

F-150 2015 → 2022


Super Duty 2017 → 2022

F-Series Off-Road Running Board

NO PART OF THIS DOCUMENT MAY BE REPRODUCED WITHOUT PRIOR AGREEMENT AND WRITTEN PERMISSION OF FORD PERFORMANCE PARTS © Ford Motor Company 2020

PRIOR TO INSTALLATION READ THESE INSTRUCTION COMPETELY
For questions, Call the FORD PERFORMANCE Techline 1-800-367-3788

Please visit <https://www.performanceparts.ford.com> for warranty information



Kit Contents:

- LH Running Board
- RH Running Board
- (12) M8 Nuts

Ford Factory Shop Manual purchase options www.motorcraftservice.com



FORD PERFORMANCE

M-8600-SD73

F-150 2015 → 2022

Super Duty 2017 → 2022


F-Series Off-Road Running Board

NO PART OF THIS DOCUMENT MAY BE REPRODUCED WITHOUT PRIOR AGREEMENT AND WRITTEN PERMISSION OF FORD PERFORMANCE PARTS © Ford Motor Company 2020


Removal

LH side shown, RH similar.

1. With the vehicle in NEUTRAL, position it on a hoist.
Refer to: Jacking and Lifting - Overview (100-02 Jacking and Lifting, Description and Operation).
2. If equipped: Remove the 6 nuts from the attachment brackets.




3. Remove the running board assembly.



Ford Factory Shop Manual purchase options www.motorcraftservice.com

NO PART OF THIS DOCUMENT MAY BE REPRODUCED WITHOUT PRIOR AGREEMENT AND WRITTEN PERMISSION OF
FORD PERFORMANCE PARTS © Ford Motor Company 2020

4. Install the provided running boards and fasten with provided nuts
Torque: 17 lb.ft (23 Nm)



E360866